

HSF

NOTES:

Rated Current: 1.5AMP.(20°C,2*2P-2*15P)
 1.0AMP.(20°C,2*16P-2*50P) $\triangle A5$
 Contact Resistance: 20m Ω Max.
 Withstand Voltage: 500V AC/DC
 Insulation Resistance: 1000M Ω Min.
 Operation Temperature: -40°C to +125°C(Gold Plating)
 -40°C to +105°C(Tin Plating) $\triangle A5$
 Contact Material: Copper Alloy
 Contact Plating: Au or Sn Over 30u" Min Ni
 Insulator Material: PA9T+G.F UL94V-0 BK $\triangle A5$

Ordering Information $\triangle A5$

1315-2 2 XX XX M XXX C R XX

Plastic Layer
 Plastic Row
 No. of Pins
 Per Row: 02-50
 Contact Plating
 G0=Gold Flash
 G3=10u"Au, BG3=8u"PdNi+2u"Au
 G4=15u"Au, BG4=13u"PdNi+2u"Au
 G5=30u"Au, BG5=28u"PdNi+2u"Au
 S0=Gold Flash/Tin
 S3=10u"Au/Sn, P3=8u"PdNi+2u"Au/Sn
 S4=15u"Au/Sn, P4=13u"PdNi+2u"Au/Sn
 S5=30u"Au/Sn, P5=28u"PdNi+2u"Au/Sn
 SN=Bright Tin
 SM=Matte Tin

Series No.
 01~99

Packing
 T=Tube
 P=Tube+CAP
 R=Tape&Reel+CAP


Insulator Material
 C=PA9T(Standard)

Pin Length
 L(See Table)




Type:
 M=SMT

TYPE-2

TYPE-1



Recommended P.C.B Layout (Top Side)
 (PCB BOARD TOLERANCE ± 0.05)
 (PCB Thickness: T=1.60m)



$\triangle A5$	PIN	2-15P	16-30P	31-50P
	M	0.10	0.15	0.18

A5	2025/09/01	Standardization Drawing	CP	OPERATION	DRAW	DATE	SCALE	Fit	PART NO.
A4	2021/12/27	MODIFY CAP	Du Ying	x.X ±0.40	CP	2025/09/01	UNIT	mm	1315-22XXXXMXXXCXXX $\triangle A5$
A3	2018/09/07	MODIFY	Ding	x.XX ±0.25	CHECK	DATE	SIZE	A4	TITLE:
A0	2012/03/15	NEW	-----	x.XXX ±0.15	TANG	2025/09/01	SHEET	1/10	1.27 Pin Header, DUAL ROW, SMT, DOUBLE PLASTIC, H=1.5
REV	DATE	MODIFICATION DESCRIPTION	CHANGE	Angle ± 3°	APPROVE	DATE	PROJ.		Customer NO.
				DIM TOL	Steven Zhao	2025/09/01			

WCON
 Http: www.wcon.com


WCON-Dongguan
 Tel: +86 769 85358920
 Fax: +86 769 85358915
 E-mail: sales@wcon.com

WCON-Kunshan
 Tel: +86 512 57468408
 Fax: +86 512 57468468
 E-mail: salesks@wcon.com


HSF

Packing:

Reel:



Tube:



A5	2025/09/01	Standardization Drawing	CP	OPERATION	DRAW	DATE	SCALE	Fit	PART NO.
A4	2021/12/27	MODIFY CAP	Du Ying	x.X ±0.40	CP	2025/09/01	UNIT	mm [inch]	1315-22XXXXMXXXCXXX
A3	2018/09/07	MODIFY	Ding	x.XX ±0.25	CHECK	DATE	SIZE	A4	TITLE:
A0	2012/03/15	NEW	-----	x.XXX ±0.15	TANG	2025/09/01	SHEET	2/10	1.27 Pin Header, DUAL ROW, SMT, DOUBLE PLASTIC, H=1.5
REV	DATE	MODIFICATION DESCRIPTION	CHANGE	Angle ± 3°	APPROVE	DATE	PROJ.	Customer NO.	
				DIM TOL	Steven Zhao	2025/09/01			

WCON
Http: www.wcon.com

WCON-Dongguan
Tel: +86 769 85358920
Fax: +86 769 85358915
E-mail: sales@wcon.com

WCON-Kunshan
Tel: +86 512 57468408
Fax: +86 512 57468468
E-mail: salesks@wcon.com

HSF

Packaging Quantity Refers To The Following Table

Table 1

Item	Pin Length	W	C	D	E	B	Mating	PINS /Row	Q' ty/Tube	Q' ty/Inner Box	Q' ty/Box	PINS /Row	Q' ty/Tube	Q' ty/Inner Box	Q' ty/Box	E=5.4,B=2.0				E=5.4,B=2.0									
																PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box	PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box				
Standard	9.0	4.9	5.4	0.1	6.8	2.0	2321/2320T	4	107	6,420	12,840	28	16	960	1,920	2	16	380	1,520	4,560	26	56	380	380	1,140				
	10.0					3.0	2334/2344/2346	5	91	5,460	10,920	29	15	900	1,800	3	24	380	1,140	3,420	27	56	380	380	1,140				
	10.5					3.5	2357	6	76	4,560	9,120	30	15	900	1,800	4	24	380	1,140	3,420	28	56	380	380	1,140				
	11.5					4.5	2345/2385	7	63	3,780	7,560	31	14	840	1,680	5	24	380	1,140	3,420	29	56	380	380	1,140				
	11.0					6.8	7.3	0.1	7.3	2.0	2321	8	55	3,300	6,600	32	14	840	1,680	6	24	380	1,140	3,420	30	56	380	380	1,140
	12.0									3.0	2320T/2334/2344/2346	9	50	3,000	6,000	33	13	780	1,560	7	24	380	1,140	3,420	31	72	380	380	1,140
	12.5	3.5	2357	10	45					2,700	5,400	34	13	780	1,560	8	24	380	1,140	3,420	32	72	380	380	1,140				
	13.5	4.5	2345/2385	11	40					2,400	4,800	35	13	780	1,560	9	24	380	1,140	3,420	33	72	380	380	1,140				
	12.0	5.5	7.9	0.1	8.4					2.0	2321	12	38	2,280	4,560	36	12	720	1,440	10	32	380	760	2,280	34	72	380	380	1,140
	13.0									3.0	2320T/2334/2344/2346	13	34	2,040	4,080	37	12	720	1,440	11	32	380	760	2,280	35	72	380	380	1,140
	13.5					3.5	2357	14	32	1,920	3,840	38	11	660	1,320	12	32	380	760	2,280	36	72	380	380	1,140				
	14.5					4.5	2345/2385	15	29	1,740	3,480	39	11	660	1,320	13	44	380	760	2,280	37	72	380	380	1,140				
	14.0					9.8	10.3	0.1	10.3	2.0	2321	16	28	1,680	3,360	40	11	660	1,320	14	44	380	760	2,280	38	72	380	380	1,140
	15.0									3.0	2320T/2334/2344/2346	17	26	1,560	3,120	41	11	660	1,320	15	44	380	760	2,280	39	72	380	380	1,140
	15.5	3.5	2357	18	25					1,500	3,000	42	10	600	1,200	16	44	380	760	2,280	40	72	380	380	1,140				
	16.5	4.5	2345/2385	19	23					1,380	2,760	43	10	600	1,200	17	44	380	760	2,280	41	72	380	380	1,140				
	16.0	11.9	12.4	0.1	12.4					2.0	2321	20	22	1,320	2,640	44	10	600	1,200	18	44	380	760	2,280	42	72	380	380	1,140
	17.0									3.0	2320T/2334/2344/2346	21	21	1,260	2,520	45	10	600	1,200	19	44	380	760	2,280	43	72	380	380	1,140
	17.5					3.5	2357	22	20	1,200	2,400	46	9	540	1,080	20	44	380	760	2,280	44	88	380	380	1,140				
	18.5					4.5	2345/2385	23	19	1,140	2,280	47	9	540	1,080	21	44	380	760	2,280	45	88	380	380	1,140				
	17.0					12.9	13.4	0.1	13.4	2.0	2321	24	18	1,080	2,160	48	9	540	1,080	22	56	380	380	1,140	46	88	380	380	1,140
	18.0									3.0	2320T/2334/2344/2346	25	18	1,080	2,160	49	9	540	1,080	23	56	380	380	1,140	47	88	380	380	1,140
	18.5	3.5	2357	26	17					1,020	2,040	50	9	540	1,080	24	56	380	380	1,140	48	88	380	380	1,140				
	19.5	4.5	2345/2385	27	16					960	1,920	50	9	540	1,080	25	56	380	380	1,140	49	88	380	380	1,140				
	Alternate																												

A5	2025/09/01	Standardization Drawing	CP	OPERATION	DRAW	DATE	SCALE	Fit	PART NO.
A4	2021/12/27	MODIFY CAP	Du Ying	x.X ±0.40	CP	2025/09/01	UNIT	mm [inch]	1315-22XXXXMXXXCXXX Δ
A3	2018/09/07	MODIFY	Ding	x.xx ±0.25	CHECK	DATE	SIZE	A4	TITLE:
A0	2012/03/15	NEW	-----	x.xxx ±0.15	TANG	2025/09/01	SHEET	3/10	1.27 Pin Header, DUAL ROW, SMT, DOUBLE PLASTIC, H=1.5
REV	DATE	MODIFICATION DESCRIPTION	CHANGE	Angle ± 3°	APPROVE	DATE	PROJ.	\odot	Customer NO.
				DIM TOL	Steven Zhao	2025/09/01			



Http: www.wcon.com

WCON-Dongguan Tel: +86 769 85358920 Fax: +86 769 85358915 E-mail: sales@wcon.com	WCON-Kunshan Tel: +86 512 57468408 Fax: +86 512 57468468 E-mail: salesks@wcon.com
---	--

HSF

Packaging Quantity Refers To The Following Table

E=5.4,B=3.0/3.5

E=5.4,B=3.0/3.5

E=5.4,B=4.5

E=5.4,B=4.5

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box	PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box	PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box	PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
2	16	330	1,320	3,960	26	56	330	330	990	2	24	290	870	2,610	26	56	290	290	870
3	24	330	990	2,970	27	56	330	330	990	3	24	290	870	2,610	27	56	290	290	870
4	24	330	990	2,970	28	56	330	330	990	4	24	290	870	2,610	28	56	290	290	870
5	24	330	990	2,970	29	56	330	330	990	5	24	290	870	2,610	29	56	290	290	870
6	24	330	990	2,970	30	72	330	330	990	6	24	290	870	2,610	30	72	290	290	870
7	24	330	990	2,970	31	72	330	330	990	7	24	290	870	2,610	31	72	290	290	870
8	24	330	990	2,970	32	72	330	330	990	8	32	290	580	1,740	32	72	290	290	870
9	32	330	660	1,980	33	72	330	330	990	9	32	290	580	1,740	33	72	290	290	870
10	32	330	660	1,980	34	72	330	330	990	10	32	290	580	1,740	34	72	290	290	870
11	32	330	660	1,980	35	72	330	330	990	11	44	290	580	1,740	35	72	290	290	870
12	44	330	660	1,980	36	72	330	330	990	12	44	290	580	1,740	36	72	290	290	870
13	44	330	660	1,980	37	72	330	330	990	13	44	290	580	1,740	37	72	290	290	870
14	44	330	660	1,980	38	72	330	330	990	14	44	290	580	1,740	38	72	290	290	870
15	44	330	660	1,980	39	72	330	330	990	15	44	290	580	1,740	39	72	290	290	870
16	44	330	660	1,980	40	72	330	330	990	16	44	290	580	1,740	40	72	290	290	870
17	44	330	660	1,980	41	72	330	330	990	17	44	290	580	1,740	41	72	290	290	870
18	44	330	660	1,980	42	72	330	330	990	18	44	290	580	1,740	42	88	290	290	870
19	44	330	660	1,980	43	88	330	330	990	19	44	290	580	1,740	43	88	290	290	870
20	44	330	660	1,980	44	88	330	330	990	20	56	290	290	870	44	88	290	290	870
21	56	330	330	990	45	88	330	330	990	21	56	290	290	870	45	88	290	290	870
22	56	330	330	990	46	88	330	330	990	22	56	290	290	870	46	88	290	290	870
23	56	330	330	990	47	88	330	330	990	23	56	290	290	870	47	88	290	290	870
24	56	330	330	990	48	88	330	330	990	24	56	290	290	870	48	88	290	290	870
25	56	330	330	990	49	88	330	330	990	25	56	290	290	870	49	88	290	290	870

A5	2025/09/01	Standardization Drawing	CP	OPERATION	DRAW	DATE	SCALE	Fit	PART NO.	 Http: www.wcon.com WCON-Dongguan Tel: +86 769 85358920 WCON-Kunshan Tel: +86 512 57468408 Fax: +86 769 85358915 Fax: +86 512 57468468 E-mail: sales@wcon.com E-mail: salesks@wcon.com
A4	2021/12/27	MODIFY CAP	Du Ying	x.X ±0.40	CP	2025/09/01	UNIT	mm [inch]	1315-22XXXXMXXXCXXX 	
A3	2018/09/07	MODIFY	Ding	x.xx ±0.25	CHECK	DATE	SIZE	A4	TITLE:	
A0	2012/03/15	NEW	-----	x.xxx ±0.15	TANG	2025/09/01	SHEET	4/10	1.27 Pin Header, DUAL ROW, SMT, DOUBLE PLASTIC, H=1.5	
REV	DATE	MODIFICATION DESCRIPTION	CHANGE	Angle ± 3'	APPROVE	DATE	PROJ.		Customer NO.	
				DIM TOL	Steven Zhao	2025/09/01				

HSF

Packaging Quantity Refers To The Following Table

E=7.3,B=2.0/3.0/3.5

E=7.3,B=2.0/3.0/3.5

E=7.3,B=4.5

E=7.3,B=4.5

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
2	24	290	870	2,610
3	24	290	870	2,610
4	24	290	870	2,610
5	24	290	870	2,610
6	24	290	870	2,610
7	24	290	870	2,610
8	32	290	580	1,740
9	32	290	580	1,740
10	32	290	580	1,740
11	44	290	580	1,740
12	44	290	580	1,740
13	44	290	580	1,740
14	44	290	580	1,740
15	44	290	580	1,740
16	44	290	580	1,740
17	44	290	580	1,740
18	44	290	580	1,740
19	44	290	580	1,740
20	56	290	290	870
21	56	290	290	870
22	56	290	290	870
23	56	290	290	870
24	56	290	290	870
25	56	290	290	870

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
26	56	290	290	870
27	56	290	290	870
28	56	290	290	870
29	56	290	290	870
30	72	290	290	870
31	72	290	290	870
32	72	290	290	870
33	72	290	290	870
34	72	290	290	870
35	72	290	290	870
36	72	290	290	870
37	72	290	290	870
38	72	290	290	870
39	72	290	290	870
40	72	290	290	870
41	72	290	290	870
42	88	290	290	870
43	88	290	290	870
44	88	290	290	870
45	88	290	290	870
46	88	290	290	870
47	88	290	290	870
48	88	290	290	870
49	88	290	290	870

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
2	24	250	750	2,250
3	24	250	750	2,250
4	24	250	750	2,250
5	24	250	750	2,250
6	24	250	750	2,250
7	32	250	500	1,500
8	32	250	500	1,500
9	32	250	500	1,500
10	44	250	500	1,500
11	44	250	500	1,500
12	44	250	500	1,500
13	44	250	500	1,500
14	44	250	500	1,500
15	44	250	500	1,500
16	44	250	500	1,500
17	44	250	500	1,500
18	44	250	500	1,500
19	56	250	250	750
20	56	250	250	750
21	56	250	250	750
22	56	250	250	750
23	56	250	250	750
24	56	250	250	750
25	56	250	250	750

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
26	56	250	250	750
27	56	250	250	750
28	72	250	250	750
29	72	250	250	750
30	72	250	250	750
31	72	250	250	750
32	72	250	250	750
33	72	250	250	750
34	72	250	250	750
35	72	250	250	750
36	72	250	250	750
37	72	250	250	750
38	72	250	250	750
39	72	250	250	750
40	72	250	250	750
41	88	250	250	750
42	88	250	250	750
43	88	250	250	750
44	88	250	250	750
45	88	250	250	750
46	88	250	250	750
47	88	250	250	750
48	88	250	250	750
49	88	250	250	750

A5	2025/09/01	Standardization Drawing	CP	OPERATION	DRAW	DATE	SCALE	Fit	PART NO.
A4	2021/12/27	MODIFY CAP	Du Ying	x.X ±0.40	CP	2025/09/01	UNIT	mm [inch]	1315-22XXXXMXXXCXXX
A3	2018/09/07	MODIFY	Ding	x.xx ±0.25	CHECK	DATE	SIZE	A4	TITLE:
A0	2012/03/15	NEW	-----	x.xxx ±0.15	TANG	2025/09/01	SHEET	5/10	1.27 Pin Header, DUAL ROW, SMT, DOUBLE PLASTIC, H=1.5
REV	DATE	MODIFICATION DESCRIPTION	CHANGE	Angle ± 3'	APPROVE	DATE	PROJ.		Customer NO.
				DIM TOL	Steven Zhao	2025/09/01			



Http: www.wcon.com

WCON-Dongguan Tel: +86 769 85358920 Fax: +86 769 85358915 E-mail: sales@wcon.com	WCON-Kunshan Tel: +86 512 57468408 Fax: +86 512 57468468 E-mail: salesks@wcon.com
---	--

HSF

Packaging Quantity Refers To The Following Table

E=8.4,B=2.0/3.0

E=8.4,B=2.0/3.0

E=8.4,B=3.5

E=8.4,B=3.5

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
2	24	300	900	2,700
3	24	300	900	2,700
4	24	300	900	2,700
5	24	300	900	2,700
6	24	300	900	2,700
7	24	300	900	2,700
8	32	300	600	1,800
9	32	300	600	1,800
10	32	300	600	1,800
11	44	300	600	1,800
12	44	300	600	1,800
13	44	300	600	1,800
14	44	300	600	1,800
15	44	300	600	1,800
16	44	300	600	1,800
17	44	300	600	1,800
18	44	300	600	1,800
19	56	300	300	900
20	56	300	300	900
21	56	300	300	900
22	56	300	300	900
23	56	300	300	900
24	56	300	300	900
25	56	300	300	900

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
26	56	300	300	900
27	56	300	300	900
28	56	300	300	900
29	72	300	300	900
30	72	300	300	900
31	72	300	300	900
32	72	300	300	900
33	72	300	300	900
34	72	300	300	900
35	72	300	300	900
36	72	300	300	900
37	72	300	300	900
38	72	300	300	900
39	72	300	300	900
40	72	300	300	900
41	88	300	300	900
42	88	300	300	900
43	88	300	300	900
44	88	300	300	900
45	88	300	300	900
46	88	300	300	900
47	88	300	300	900
48	88	300	300	900
49	88	300	300	900

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
2	24	250	750	2,250
3	24	250	750	2,250
4	24	250	750	2,250
5	24	250	750	2,250
6	24	250	750	2,250
7	32	250	500	1,500
8	32	250	500	1,500
9	32	250	500	1,500
10	44	250	500	1,500
11	44	250	500	1,500
12	44	250	500	1,500
13	44	250	500	1,500
14	44	250	500	1,500
15	44	250	500	1,500
16	44	250	500	1,500
17	44	250	500	1,500
18	44	250	500	1,500
19	56	250	250	750
20	56	250	250	750
21	56	250	250	750
22	56	250	250	750
23	56	250	250	750
24	56	250	250	750
25	56	250	250	750

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
26	56	250	250	750
27	56	250	250	750
28	72	250	250	750
29	72	250	250	750
30	72	250	250	750
31	72	250	250	750
32	72	250	250	750
33	72	250	250	750
34	72	250	250	750
35	72	250	250	750
36	72	250	250	750
37	72	250	250	750
38	72	250	250	750
39	72	250	250	750
40	72	250	250	750
41	88	250	250	750
42	88	250	250	750
43	88	250	250	750
44	88	250	250	750
45	88	250	250	750
46	88	250	250	750
47	88	250	250	750
48	88	250	250	750
49	88	250	250	750

A5	2025/09/01	Standardization Drawing	CP	OPERATION	DRAW	DATE	SCALE	Fit	PART NO.
A4	2021/12/27	MODIFY CAP	Du Ying	x.X ±0.40	CP	2025/09/01	UNIT	mm [inch]	1315-22XXXXMXXXCXXX
A3	2018/09/07	MODIFY	Ding	x.XX ±0.25	CHECK	DATE	SIZE	A4	TITLE:
A0	2012/03/15	NEW	-----	x.XXX ±0.15	TANG	2025/09/01	SHEET	6/10	1.27 Pin Header, DUAL ROW, SMT, DOUBLE PLASTIC, H=1.5
REV	DATE	MODIFICATION DESCRIPTION	CHANGE	Angle ± 3'	APPROVE	DATE	PROJ.		Customer NO.
				DIM TOL	Steven Zhao	2025/09/01			

WCON

Http: www.wcon.com

WCON-Dongguan	WCON-Kunshan
Tel: +86 769 85358920	Tel: +86 512 57468408
Fax: +86 769 85358915	Fax: +86 512 57468468
E-mail: sales@wcon.com	E-mail: sales@wcon.com

HSF

Packaging Quantity Refers To The Following Table

E=8.4,B=4.5

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
2	24	210	630	1,890
3	24	210	630	1,890
4	24	210	630	1,890
5	24	210	630	1,890
6	24	210	630	1,890
7	32	210	420	1,260
8	32	210	420	1,260
9	32	210	420	1,260
10	44	210	420	1,260
11	44	210	420	1,260
12	44	210	420	1,260
13	44	210	420	1,260
14	44	210	420	1,260
15	44	210	420	1,260
16	44	210	420	1,260
17	44	210	420	1,260
18	56	210	210	630
19	56	210	210	630
20	56	210	210	630
21	56	210	210	630
22	56	210	210	630
23	56	210	210	630
24	56	210	210	630
25	56	210	210	630

E=8.4,B=4.5

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
26	56	210	210	630
27	72	210	210	630
28	72	210	210	630
29	72	210	210	630
30	72	210	210	630
31	72	210	210	630
32	72	210	210	630
33	72	210	210	630
34	72	210	210	630
35	72	210	210	630
36	72	210	210	630
37	72	210	210	630
38	72	210	210	630
39	72	210	210	630
40	88	210	210	630
41	88	210	210	630
42	88	210	210	630
43	88	210	210	630
44	88	210	210	630
45	88	210	210	630
46	88	210	210	630
47	88	210	210	630
48	88	210	210	630
49	88	210	210	630

E=10.3,B=2.0

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
2	24	250	750	2,250
3	24	250	750	2,250
4	24	250	750	2,250
5	24	250	750	2,250
6	24	250	750	2,250
7	32	250	500	1,500
8	32	250	500	1,500
9	32	250	500	1,500
10	44	250	500	1,500
11	44	250	500	1,500
12	44	250	500	1,500
13	44	250	500	1,500
14	44	250	500	1,500
15	44	250	500	1,500
16	44	250	500	1,500
17	44	250	500	1,500
18	44	250	500	1,500
19	56	250	250	750
20	56	250	250	750
21	56	250	250	750
22	56	250	250	750
23	56	250	250	750
24	56	250	250	750
25	56	250	250	750

E=10.3,B=2.0

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
26	56	250	250	750
27	56	250	250	750
28	72	250	250	750
29	72	250	250	750
30	72	250	250	750
31	72	250	250	750
32	72	250	250	750
33	72	250	250	750
34	72	250	250	750
35	72	250	250	750
36	72	250	250	750
37	72	250	250	750
38	72	250	250	750
39	72	250	250	750
40	72	250	250	750
41	88	250	250	750
42	88	250	250	750
43	88	250	250	750
44	88	250	250	750
45	88	250	250	750
46	88	250	250	750
47	88	250	250	750
48	88	250	250	750
49	88	250	250	750

A5	2025/09/01	Standardization Drawing	CP	OPERATION	DRAW	DATE	SCALE	Fit	PART NO.
A4	2021/12/27	MODIFY CAP	Du Ying	x.X ±0.40	CP	2025/09/01	UNIT	mm [inch]	1315-22XXXXMXXXCXXX Δ
A3	2018/09/07	MODIFY	Ding	x.xx ±0.25	CHECK	DATE	SIZE	A4	TITLE:
A0	2012/03/15	NEW	-----	x.xxx ±0.15	TANG	2025/09/01	SHEET	7/10	1.27 Pin Header, DUAL ROW, SMT, DOUBLE PLASTIC, H=1.5
REV	DATE	MODIFICATION DESCRIPTION	CHANGE	Angle ± 3'	APPROVE	DATE	PROJ.	ϕ \leftarrow	Customer NO.
				DIM TOL	Steven Zhao	2025/09/01			



Http: www.wcon.com

WCON-Dongguan Tel: +86 769 85358920 Fax: +86 769 85358915 E-mail: sales@wcon.com	WCON-Kunshan Tel: +86 512 57468408 Fax: +86 512 57468468 E-mail: salesks@wcon.com
---	--

HSF

Packaging Quantity Refers To The Following Table

E=10.3,B=3.0/3.5

E=10.3,B=3.0/3.5

E=10.3,B=4.5

E=10.3,B=4.5

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
2	24	210	630	1,890
3	24	210	630	1,890
4	24	210	630	1,890
5	24	210	630	1,890
6	32	210	420	1,260
7	32	210	420	1,260
8	32	210	420	1,260
9	32	210	420	1,260
10	44	210	420	1,260
11	44	210	420	1,260
12	44	210	420	1,260
13	44	210	420	1,260
14	44	210	420	1,260
15	44	210	420	1,260
16	44	210	420	1,260
17	44	210	420	1,260
18	56	210	210	630
19	56	210	210	630
20	56	210	210	630
21	56	210	210	630
22	56	210	210	630
23	56	210	210	630
24	56	210	210	630
25	56	210	210	630

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
26	56	210	210	630
27	72	210	210	630
28	72	210	210	630
29	72	210	210	630
30	72	210	210	630
31	72	210	210	630
32	72	210	210	630
33	72	210	210	630
34	72	210	210	630
35	72	210	210	630
36	72	210	210	630
37	72	210	210	630
38	72	210	210	630
39	72	210	210	630
40	88	210	210	630
41	88	210	210	630
42	88	210	210	630
43	88	210	210	630
44	88	210	210	630
45	88	210	210	630
46	88	210	210	630
47	88	210	210	630
48	88	210	210	630
49	88	210	210	630

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
2	24	170	510	1,530
3	24	170	510	1,530
4	24	170	510	1,530
5	24	170	510	1,530
6	32	170	340	1,020
7	32	170	340	1,020
8	32	170	340	1,020
9	32	170	340	1,020
10	44	170	340	1,020
11	44	170	340	1,020
12	44	170	340	1,020
13	44	170	340	1,020
14	44	170	340	1,020
15	44	170	340	1,020
16	44	170	340	1,020
17	56	170	170	510
18	56	170	170	510
19	56	170	170	510
20	56	170	170	510
21	56	170	170	510
22	56	170	170	510
23	56	170	170	510
24	56	170	170	510
25	56	170	170	510

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
26	72	170	170	510
27	72	170	170	510
28	72	170	170	510
29	72	170	170	510
30	72	170	170	510
31	72	170	170	510
32	72	170	170	510
33	72	170	170	510
34	72	170	170	510
35	72	170	170	510
36	72	170	170	510
37	72	170	170	510
38	72	170	170	510
39	88	170	170	510
40	88	170	170	510
41	88	170	170	510
42	88	170	170	510
43	88	170	170	510
44	88	170	170	510
45	88	170	170	510
46	88	170	170	510
47	88	170	170	510
48	88	170	170	510
49	88	170	170	510

A5	2025/09/01	Standardization Drawing	CP	OPERATION	DRAW	DATE	SCALE	Fit	PART NO.
A4	2021/12/27	MODIFY CAP	Du Ying	x.X ±0.40	CP	2025/09/01	UNIT	mm [inch]	1315-22XXXXMXXXCXXX
A3	2018/09/07	MODIFY	Ding	x.xx ±0.25	CHECK	DATE	SIZE	A4	TITLE:
A0	2012/03/15	NEW	-----	x.xxx ±0.15	TANG	2025/09/01	SHEET	8/10	1.27 Pin Header, DUAL ROW, SMT, DOUBLE PLASTIC, H=1.5
REV	DATE	MODIFICATION DESCRIPTION	CHANGE	Angle DIM	± 3' TOL	DATE	PROJ.		Customer NO.



Http: www.wcon.com

WCON-Dongguan Tel: +86 769 85358920 Fax: +86 769 85358915 E-mail: sales@wcon.com	WCON-Kunshan Tel: +86 512 57468408 Fax: +86 512 57468468 E-mail: salesks@wcon.com
---	--

HSF

Packaging Quantity Refers To The Following Table

E=12.4,B=2.0/3.0

E=12.4,B=2.0/3.0

E=12.4,B=3.5/4.5

E=12.4,B=3.5/4.5

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
2	24	160	480	1,440
3	24	160	480	1,440
4	24	160	480	1,440
5	24	160	480	1,440
6	32	160	320	960
7	32	160	320	960
8	32	160	320	960
9	32	160	320	960
10	44	160	320	960
11	44	160	320	960
12	44	160	320	960
13	44	160	320	960
14	44	160	320	960
15	44	160	320	960
16	44	160	320	960
17	56	160	160	480
18	56	160	160	480
19	56	160	160	480
20	56	160	160	480
21	56	160	160	480
22	56	160	160	480
23	56	160	160	480
24	56	160	160	480
25	56	160	160	480

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
26	72	160	160	480
27	72	130	130	390
28	72	130	130	390
29	72	130	130	390
30	72	130	130	390
31	72	130	130	390
32	72	130	130	390
33	72	130	130	390
34	72	130	130	390
35	72	130	130	390
36	72	130	130	390
37	72	160	160	480
38	72	160	160	480
39	88	160	160	480
40	88	160	160	480
41	88	160	160	480
42	88	160	160	480
43	88	160	160	480
44	88	160	160	480
45	88	160	160	480
46	88	160	160	480
47	88	160	160	480
48	88	160	160	480
49	88	160	160	480

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
2	24	130	390	1,170
3	24	130	390	1,170
4	24	130	390	1,170
5	24	130	390	1,170
6	32	130	260	780
7	32	130	260	780
8	32	130	260	780
9	32	130	260	780
10	44	130	260	780
11	44	130	260	780
12	44	130	260	780
13	44	130	260	780
14	44	130	260	780
15	44	130	260	780
16	56	130	130	390
17	56	130	130	390
18	56	130	130	390
19	56	130	130	390
20	56	130	130	390
21	56	130	130	390
22	56	130	130	390
23	56	130	130	390
24	56	130	130	390
25	56	130	130	390

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
26	72	130	130	390
27	72	130	130	390
28	72	130	130	390
29	72	130	130	390
30	72	130	130	390
31	72	130	130	390
32	72	130	130	390
33	72	130	130	390
34	72	130	130	390
35	72	130	130	390
36	72	130	130	390
37	72	130	130	390
38	88	130	130	390
39	88	130	130	390
40	88	130	130	390
41	88	130	130	390
42	88	130	130	390
43	88	130	130	390
44	88	130	130	390
45	88	130	130	390
46	88	130	130	390
47	88	130	130	390
48	88	130	130	390
49	88	130	130	390

A5	2025/09/01	Standardization Drawing	CP	OPERATION	DRAW	DATE	SCALE	Fit	PART NO.
A4	2021/12/27	MODIFY CAP	Du Ying	x.X ±0.40	CP	2025/09/01	UNIT	mm [inch]	1315-22XXXXMXXXCXXX Δ
A3	2018/09/07	MODIFY	Ding	x.xx ±0.25	CHECK	DATE	SIZE	A4	TITLE:
A0	2012/03/15	NEW	-----	x.xxx ±0.15	TANG	2025/09/01	SHEET	9/10	1.27 Pin Header, DUAL ROW, SMT, DOUBLE PLASTIC, H=1.5
REV	DATE	MODIFICATION DESCRIPTION	CHANGE	Angle ± 3°	APPROVE	DATE	PROJ.	ϕ	Customer NO.
				DIM TOL	Steven Zhao	2025/09/01			

WCON

Http: www.wcon.com

WCON-Dongguan Tel: +86 769 85358920 Fax: +86 769 85358915 E-mail: sales@wcon.com	WCON-Kunshan Tel: +86 512 57468408 Fax: +86 512 57468468 E-mail: salesks@wcon.com
---	--

HSF

Packaging Quantity Refers To The Following Table

E=13.4,B=2.0/3.0

E=13.4,B=2.0/3.0

E=13.4,B=3.5/4.5

E=13.4,B=3.5/4.5

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
2	24	130	390	1,170
3	24	130	390	1,170
4	24	130	390	1,170
5	24	130	390	1,170
6	32	130	260	780
7	32	130	260	780
8	32	130	260	780
9	32	130	260	780
10	44	130	260	780
11	44	130	260	780
12	44	130	260	780
13	44	130	260	780
14	44	130	260	780
15	44	130	260	780
16	56	130	130	390
17	56	130	130	390
18	56	130	130	390
19	56	130	130	390
20	56	130	130	390
21	56	130	130	390
22	56	130	130	390
23	56	130	130	390
24	56	130	130	390
25	56	130	130	390

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
26	72	130	130	390
27	72	130	130	390
28	72	130	130	390
29	72	130	130	390
30	72	130	130	390
31	72	130	130	390
32	72	130	130	390
33	72	130	130	390
34	72	130	130	390
35	72	130	130	390
36	72	130	130	390
37	72	130	130	390
38	88	130	130	390
39	88	130	130	390
40	88	130	130	390
41	88	130	130	390
42	88	130	130	390
43	88	130	130	390
44	88	130	130	390
45	88	130	130	390
46	88	130	130	390
47	88	130	130	390
48	88	130	130	390
49	88	130	130	390

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
2	24	130	390	1,170
3	24	130	390	1,170
4	24	130	390	1,170
5	32	130	260	780
6	32	130	260	780
7	32	130	260	780
8	32	130	260	780
9	44	130	260	780
10	44	130	260	780
11	44	130	260	780
12	44	130	260	780
13	44	130	260	780
14	44	130	260	780
15	44	130	260	780
16	56	130	130	390
17	56	130	130	390
18	56	130	130	390
19	56	130	130	390
20	56	130	130	390
21	56	130	130	390
22	56	130	130	390
23	56	130	130	390
24	56	130	130	390
25	56	130	130	390

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
26	72	130	130	390
27	72	130	130	390
28	72	130	130	390
29	72	130	130	390
30	72	130	130	390
31	72	130	130	390
32	72	130	130	390
33	72	130	130	390
34	72	130	130	390
35	72	130	130	390
36	72	130	130	390
37	72	130	130	390
38	88	130	130	390
39	88	130	130	390
40	88	130	130	390
41	88	130	130	390
42	88	130	130	390
43	88	130	130	390
44	88	130	130	390
45	88	130	130	390
46	88	130	130	390
47	88	130	130	390
48	88	130	130	390
49	88	130	130	390

A5	2025/09/01	Standardization Drawing	CP	OPERATION	DRAW	DATE	SCALE	Fit	PART NO.
A4	2021/12/27	MODIFY CAP	Du Ying	x.x ±0.40	CP	2025/09/01	UNIT	mm [inch]	1315-22XXXXMXXXCXXX
A3	2018/09/07	MODIFY	Ding	x.xx ±0.25	CHECK	DATE	SIZE	A4	TITLE:
A0	2012/03/15	NEW	-----	x.xxx ±0.15	TANG	2025/09/01	SHEET	10/10	1.27 Pin Header, DUAL ROW, SMT, DOUBLE PLASTIC, H=1.5
REV	DATE	MODIFICATION DESCRIPTION	CHANGE	Angle ± 3°	APPROVE	DATE	PROJ.		Customer NO.
				DIM TOL	Steven Zhao	2025/09/01			

WCON

Http: www.wcon.com

WCON-Dongguan Tel: +86 769 85358920 Fax: +86 769 85358915 E-mail: sales@wcon.com	WCON-Kunshan Tel: +86 512 57468408 Fax: +86 512 57468468 E-mail: salesks@wcon.com
---	--