



HSF

NOTES:



Rated Current:1.5AMP.(20°C,2*2P~2*15P)
 1.0AMP.(20°C,2*16P~2*50P) $\triangle A5$
 Contact Resistance:20mΩ Max.
 Withstand Voltage:500V AC/DC
 Insulation Resistance:1000MΩ Min.
 Operation Temperature:-40°C to +125°C(Gold Plating)
 -40°C to +105°C(Tin Plating) $\triangle A5$

Contact Material:Copper Alloy
 Contact Plating:Au or Sn Over 30u" Min Ni $\triangle A5$
 Insulator Material:PA9T+G.F UL94V-0 BK $\triangle A5$

Recommended P.C.B Layout (Top Side)
 (PCB BOARD TOLERANCE±0.05)
 (PCB Thickness:T=1.60mm)



TYPE-2 $\triangle A$





Ordering Information

1320-2 2 XX XX M XXX C R XX

Plastic Layer
 Plastic Row
 No. of Pins
 Per Row:02-50
 Contact Plating
 G0=Gold Flash
 G3=10u"Au, BG3=8u"PdNi+2u"Au
 G4=15u"Au, BG4=13u"PdNi+2u"Au
 G5=30u"Au, BG5=28u"PdNi+2u"Au
 S0=Gold Flash/Tin
 S3=10u"Au/Sn, P3=8u"PdNi+2u"Au/Sn
 S4=15u"Au/Sn, P4=13u"PdNi+2u"Au/Sn
 S5=30u"Au/Sn, P5=28u"PdNi+2u"Au/Sn
 SN=Bright Tin
 SM=Matte Tin $\triangle A5$

Series No.
 01-99
 Packing
 T=Tube
 P=Tube+CAP
 R=Tape&Reel+CAP
 Insulator Material
 C=PA9T(Standard)
 Pin Length
 L(See Table)
 Type:
 M=SMT

TYPE-1



PIN(PerRow)	2-15P	16-30P	31-50P	$\triangle A5$
M	0.10	0.15	0.18	

REV	DATE	MODIFICATION DESCRIPTION	CHANGE	OPERATION	DRAW	DATE	SCALE	Fit	PART NO.
A5	2025/08/22	Standardization Drawing	CP	OPERATION	DRAW	2025/08/22	SCALE	Fit	1320-22XXXXMXXXCXXX $\triangle A5$
A4	2023/02/02	Add Flatness	Du Ying	x.X ±0.40	CP	2025/08/22	UNIT	mm [inch]	TITLE:
A3	2021/12/28	MODIFY CAP	Du Ying	x.XX ±0.25	CHECK	2025/08/22	SIZE	A4	1.27 Pin Header, DUAL ROW, SMT, DOUBLE PLASTIC, WITHOUT POST, H=2.0
A0	2012/03/22	NEW	William Chen	x.XXX ±0.15	TANG	2025/08/22	SHEET	1/9	Customer NO.
				Angle ± 3'	APPROVE	2025/08/22	PROJ.		
				DIM TOL	Steven Zhao				


WCON
 Http: www.wcon.com

WCON-Dongguan
 Tel: +86 769 85358920
 Fax: +86 769 85358915
 E-mail: sales@wcon.com

WCON-Kunshan
 Tel: +86 512 57468408
 Fax: +86 512 57468468
 E-mail: sales@wcon.com

HSF

Packing:



A5	2025/08/22	Standardization Drawing	CP	OPERATION	DRAW	DATE	SCALE	Fit	PART NO.
A4	2023/02/02	Add Flatness	Du Ying	x.X ±0.40	CP	2025/08/22	UNIT	mm [inch]	1320-22XXXXMXXXCXXX
A3	2021/12/28	MODIFY CAP	Du Ying	x.XX ±0.25	CHECK	DATE	SIZE	A4	TITLE:
A0	2012/03/22	NEW	William Chen	x.XXX ±0.15	TANG	2025/08/22	SHEET	2/9	1.27 Pin Header, DUAL ROW, SMT, DOUBLE PLASTIC, WITHOUT POST, H=2.0
REV	DATE	MODIFICATION DESCRIPTION	CHANGE	Angle ± 3'	APPROVE	DATE	PROJ.		Customer NO.
				DIM TOL	Steven Zhao	2025/08/22			

WCON
Http: www.wcon.com

WCON-Dongguan WCON-Kunshan
Tel: +86 769 85358920 Tel: +86 512 57468408
Fax: +86 769 85358915 Fax: +86 512 57468468
E-mail: sales@wcon.com E-mail: salesks@wcon.com

HSF

Packaging Quantity Refers To The Following Table

Table 1

Item	Pin Length	W	E	D	C	B	Mating	
Standard	10.3	5.5	6.5	0.1	6.0	2.0	2321/2320T	
	11.3					3.0	2334/2344/2346	
	11.8					3.5	2357	
	12.8					4.5	2345/2385	
	11.3				7.4	6.9	2.0	2321/2320T
	12.3						3.0	2334/2344/2346
	12.8						3.5	2357
	13.8						4.5	2345/2385
	11.8				8.0	7.5	2.0	2321/2320T
	12.8						3.0	2334/2344/2346
	13.3	3.5	2357					
	14.3	4.5	2345/2385					
	14.3	10.5	10.0	2.0	2321/2320T			
	15.3			3.0	2334/2344/2346			
	15.8			3.5	2357			
	16.8			4.5	2345/2385			
	19.5	15.4	0.5	14.5	2.0	2321/2320T		
	20.3				3.0	2334/2344/2346		
	20.8				3.5	2357		
	21.8				4.5	2345/2385		
Alternate								

PINS /Row	Q' ty/Tube	Q' ty/Inner Box	Q' ty/Box
4	107	6,420	12,840
5	91	5,460	10,920
6	73	4,380	8,760
7	65	3,900	7,800
8	55	3,300	6,600
9	49	2,940	5,880
10	45	2,700	5,400
11	40	2,400	4,800
12	38	2,280	4,560
13	34	2,040	4,080
14	32	1,920	3,840
15	30	1,800	3,600
16	28	1,680	3,360
17	26	1,560	3,120
18	25	1,500	3,000
19	24	1,440	2,880
20	22	1,320	2,640
21	21	1,260	2,520
22	20	1,200	2,400
23	19	1,140	2,280
24	18	1,080	2,160
25	18	1,080	2,160
26	17	1,020	2,040
27	16	960	1,920

PINS /Row	Q' ty/Tube	Q' ty/Inner Box	Q' ty/Box
28	16	960	1,920
29	15	900	1,800
30	15	900	1,800
31	14	840	1,680
32	14	840	1,680
33	13	780	1,560
34	13	780	1,560
35	13	780	1,560
36	12	720	1,440
37	12	720	1,440
38	11	660	1,320
39	11	660	1,320
40	11	660	1,320
41	11	660	1,320
42	10	600	1,200
43	10	600	1,200
44	10	600	1,200
45	10	600	1,200
46	9	540	1,080
47	9	540	1,080
48	9	540	1,080
49	9	540	1,080
50	9	540	1,080

A5	2025/08/22	Standardization Drawing	CP	OPERATION	DRAW	DATE	SCALE	Fit	PART NO.
A4	2023/02/02	Add Flatness	Du Ying	x.X ±0.40	CP	2025/08/22	UNIT	mm [inch]	1320-22XXXXMXXCXXX
A3	2021/12/28	MODIFY CAP	Du Ying	x.XX ±0.25	CHECK	DATE	SIZE	A4	TITLE:
A0	2012/03/22	NEW	William Chen	x.XXX ±0.15	TANG	2025/08/22	SHEET	3/9	1.27 Pin Header, DUAL ROW, SMT, DOUBLE PLASTIC, WITHOUT POST, H=2.0
REV	DATE	MODIFICATION DESCRIPTION	CHANGE	Angle ± 3'	APPROVE	DATE	PROJ.		Customer NO.
				DIM TOL	Steven Zhao	2025/08/22			

WCON
Http: www.wcon.com

WCON-Dongguan Tel: +86 769 85358920
WCON-Kunshan Tel: +86 512 57468408
Fax: +86 769 85358915 Fax: +86 512 57468468
E-mail: sales@wcon.com E-mail: salesks@wcon.com

HSF

Packaging Quantity Refers To The Following Table

E=6.5,B=2.0

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
2	24	330	990	2,970
3	24	330	990	2,970
4	24	330	990	2,970
5	24	330	990	2,970
6	24	330	990	2,970
7	24	330	990	2,970
8	24	330	990	2,970
9	32	330	660	1,980
10	32	330	660	1,980
11	32	330	660	1,980
12	44	330	660	1,980
13	44	330	660	1,980
14	44	330	660	1,980
15	44	330	660	1,980
16	44	330	660	1,980
17	44	330	660	1,980
18	44	330	660	1,980
19	44	330	660	1,980
20	44	330	660	1,980
21	56	330	330	990
22	56	330	330	990
23	56	330	330	990
24	56	330	330	990
25	56	330	330	990

E=6.5,B=2.0

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
26	56	330	330	990
27	56	330	330	990
28	56	330	330	990
29	56	330	330	990
30	72	330	330	990
31	72	330	330	990
32	72	330	330	990
33	72	330	330	990
34	72	330	330	990
35	72	330	330	990
36	72	330	330	990
37	72	330	330	990
38	72	330	330	990
39	72	330	330	990
40	72	330	330	990
41	72	330	330	990
42	72	330	330	990
43	88	330	330	990
44	88	330	330	990
45	88	330	330	990
46	88	330	330	990
47	88	330	330	990
48	88	330	330	990

E=6.5,B=3.0/3.5

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
2	24	290	870	2,610
3	24	290	870	2,610
4	24	290	870	2,610
5	24	290	870	2,610
6	24	290	870	2,610
7	24	290	870	2,610
8	32	290	580	1,740
9	32	290	580	1,740
10	32	290	580	1,740
11	44	290	580	1,740
12	44	290	580	1,740
13	44	290	580	1,740
14	44	290	580	1,740
15	44	290	580	1,740
16	44	290	580	1,740
17	44	290	580	1,740
18	44	290	580	1,740
19	44	290	580	1,740
20	56	290	290	870
21	56	290	290	870
22	56	290	290	870
23	56	290	290	870
24	56	290	290	870
25	56	290	290	870

E=6.5,B=3.0/3.5

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
26	56	290	290	870
27	56	290	290	870
28	56	290	290	870
29	56	290	290	870
30	72	290	290	870
31	72	290	290	870
32	72	290	290	870
33	72	290	290	870
34	72	290	290	870
35	72	290	290	870
36	72	290	290	870
37	72	290	290	870
38	72	290	290	870
39	72	290	290	870
40	72	290	290	870
41	72	290	290	870
42	88	290	290	870
43	88	290	290	870
44	88	290	290	870
45	88	290	290	870
46	88	290	290	870
47	88	290	290	870
48	88	290	290	870

A5	2025/08/22	Standardization Drawing	CP	OPERATION	DRAW	DATE	SCALE	Fit	PART NO.
A4	2023/02/02	Add Flatness	Du Ying	x.X ±0.40	CP	2025/08/22	UNIT	mm [inch]	1320-22XXXXMXXCXXX
A3	2021/12/28	MODIFY CAP	Du Ying	x.XX ±0.25	CHECK	DATE	SIZE	A4	TITLE:
A0	2012/03/22	NEW	William Chen	x.XXX ±0.15	TANG	2025/08/22	SHEET	4/9	1.27 Pin Header, DUAL ROW, SMT, DOUBLE PLASTIC, WITHOUT POST, H=2.0
REV	DATE	MODIFICATION DESCRIPTION	CHANGE	Angle ± 3'	APPROVE	DATE	PROJ.		Customer NO.
				DIM TOL	Steven Zhao	2025/08/22			



WCON-Dongguan Tel: +86 769 85358920 Fax: +86 769 85358915 E-mail: sales@wcon.com	WCON-Kunshan Tel: +86 512 57468408 Fax: +86 512 57468468 E-mail: sales@wcon.com
---	--

HSF

Packaging Quantity Refers To The Following Table

E=6.5,B=4.5

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
2	24	250	750	2,250
3	24	250	750	2,250
4	24	250	750	2,250
5	24	250	750	2,250
6	24	250	750	2,250
7	24	250	750	2,250
8	32	250	500	1,500
9	32	250	500	1,500
10	32	250	500	1,500
11	44	250	500	1,500
12	44	250	500	1,500
13	44	250	500	1,500
14	44	250	500	1,500
15	44	250	500	1,500
16	44	250	500	1,500
17	44	250	500	1,500
18	44	250	500	1,500
19	56	250	250	750
20	56	250	250	750
21	56	250	250	750
22	56	250	250	750
23	56	400	400	1,200
24	56	400	400	1,200
25	56	400	400	1,200

E=6.5,B=4.5

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
26	56	400	400	1,200
27	56	400	400	1,200
28	56	250	250	750
29	72	250	250	750
30	72	250	250	750
31	72	250	250	750
32	72	250	250	750
33	72	250	250	750
34	72	250	250	750
35	72	250	250	750
36	72	250	250	750
37	72	250	250	750
38	72	250	250	750
39	72	250	250	750
40	72	250	250	750
41	88	250	250	750
42	88	250	250	750
43	88	250	250	750
44	88	250	250	750
45	88	250	250	750
46	88	250	250	750
47	88	250	250	750
48	88	250	250	750

E=7.4,B=2.0/3.0

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
2	24	290	870	2,610
3	24	290	870	2,610
4	24	290	870	2,610
5	24	290	870	2,610
6	24	290	870	2,610
7	24	290	870	2,610
8	32	290	580	1,740
9	32	290	580	1,740
10	32	290	580	1,740
11	44	290	580	1,740
12	44	290	580	1,740
13	44	290	580	1,740
14	44	290	580	1,740
15	44	290	580	1,740
16	44	290	580	1,740
17	44	290	580	1,740
18	44	290	580	1,740
19	44	290	580	1,740
20	56	290	290	870
21	56	290	290	870
22	56	290	290	870
23	56	290	290	870
24	56	290	290	870
25	56	290	290	870

E=7.4,B=2.0/3.0

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
26	56	290	290	870
27	56	290	290	870
28	56	290	290	870
29	56	290	290	870
30	72	290	290	870
31	72	290	290	870
32	72	290	290	870
33	72	290	290	870
34	72	290	290	870
35	72	290	290	870
36	72	290	290	870
37	72	290	290	870
38	72	290	290	870
39	72	290	290	870
40	72	290	290	870
41	72	290	290	870
42	88	290	290	870
43	88	290	290	870
44	88	290	290	870
45	88	290	290	870
46	88	290	290	870
47	88	290	290	870
48	88	290	290	870

A5	2025/08/22	Standardization Drawing	CP	OPERATION	DRAW	DATE	SCALE	Fit	PART NO.
A4	2023/02/02	Add Flatness	Du Ying	x.X ±0.40	CP	2025/08/22	UNIT	mm [inch]	1320-22XXXXMXXCXXX
A3	2021/12/28	MODIFY CAP	Du Ying	x.XX ±0.25	CHECK	DATE	SIZE	A4	TITLE:
A0	2012/03/22	NEW	William Chen	x.XXX ±0.15	TANG	2025/08/22	SHEET	5/9	1.27 Pin Header, DUAL ROW, SMT, DOUBLE PLASTIC, WITHOUT POST, H=2.0
REV	DATE	MODIFICATION DESCRIPTION	CHANGE	Angle ± 3'	APPROVE	DATE	PROJ.		Customer NO.
				DIM TOL	Steven Zhao	2025/08/22			



WCON-Dongguan Tel: +86 769 85358920 Fax: +86 769 85358915 E-mail: sales@wcon.com

WCON-Kunshan Tel: +86 512 57468408 Fax: +86 512 57468468 E-mail: sales@wcon.com

HSF

Packaging Quantity Refers To The Following Table

E=7.4,B=3.5/4.5

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
2	24	250	750	2,250
3	24	250	750	2,250
4	24	250	750	2,250
5	24	250	750	2,250
6	24	250	750	2,250
7	24	250	750	2,250
8	32	250	500	1,500
9	32	250	500	1,500
10	32	250	500	1,500
11	44	250	500	1,500
12	44	250	500	1,500
13	44	250	500	1,500
14	44	250	500	1,500
15	44	250	500	1,500
16	44	250	500	1,500
17	44	250	500	1,500
18	44	250	500	1,500
19	56	250	250	750
20	56	250	250	750
21	56	250	250	750
22	56	250	250	750
23	56	250	250	750
24	56	250	250	750
25	56	250	250	750

E=7.4,B=3.5/4.5

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
26	56	250	250	750
27	56	250	250	750
28	56	250	250	750
29	72	250	250	750
30	72	250	250	750
31	72	250	250	750
32	72	250	250	750
33	72	250	250	750
34	72	250	250	750
35	72	250	250	750
36	72	250	250	750
37	72	250	250	750
38	72	250	250	750
39	72	250	250	750
40	72	250	250	750
41	88	250	250	750
42	88	250	250	750
43	88	250	250	750
44	88	250	250	750
45	88	250	250	750
46	88	250	250	750
47	88	250	250	750
48	88	250	250	750

E=8.0,B=2.0

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
2	24	290	870	2,610
3	24	290	870	2,610
4	24	290	870	2,610
5	24	290	870	2,610
6	24	290	870	2,610
7	24	290	870	2,610
8	32	290	580	1,740
9	32	290	580	1,740
10	32	290	580	1,740
11	44	290	580	1,740
12	44	290	580	1,740
13	44	290	580	1,740
14	44	290	580	1,740
15	44	290	580	1,740
16	44	290	580	1,740
17	44	290	580	1,740
18	44	290	580	1,740
19	44	290	580	1,740
20	56	290	290	870
21	56	290	290	870
22	56	290	290	870
23	56	290	290	870
24	56	290	290	870
25	56	290	290	870

E=8.0,B=2.0

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
26	56	290	290	870
27	56	290	290	870
28	56	290	290	870
29	56	290	290	870
30	72	290	290	870
31	72	290	290	870
32	72	290	290	870
33	72	290	290	870
34	72	290	290	870
35	72	290	290	870
36	72	290	290	870
37	72	290	290	870
38	72	290	290	870
39	72	290	290	870
40	72	290	290	870
41	72	290	290	870
42	88	290	290	870
43	88	290	290	870
44	88	290	290	870
45	88	290	290	870
46	88	290	290	870
47	88	290	290	870
48	88	290	290	870

REV	DATE	MODIFICATION DESCRIPTION	CHANGE	DIM	TOL	APPROVE	DATE	PROJ.	SCALE	Fit	PART NO.	TITLE:	Customer NO.
A5	2025/08/22	Standardization Drawing	CP			DRAW	2025/08/22				1320-22XXXXMXXCXXX		
A4	2023/02/02	Add Flatness	Du Ying	x.X	±0.40	CP			UNIT	mm [inch]			
A3	2021/12/28	MODIFY CAP	Du Ying	x.XX	±0.25	CHECK	2025/08/22		SIZE	A4		1.27 Pin Header, DUAL ROW, SMT, DOUBLE PLASTIC, WITHOUT POST, H=2.0	
A0	2012/03/22	NEW	William Chen	x.XXX	±0.15	TANG			SHEET	6/9			
				Angle	± 3'	APPROVE	2025/08/22						
						Steven Zhao			PROJ.				



Http: www.wcon.com

WCON-Dongguan Tel: +86 769 85358920 Fax: +86 769 85358915 E-mail: sales@wcon.com	WCON-Kunshan Tel: +86 512 57468408 Fax: +86 512 57468468 E-mail: salesks@wcon.com
---	--

HSF

Packaging Quantity Refers To The Following Table

E=8.0,B=3.0/3.5/4.5

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
2	24	250	750	2,250
3	24	250	750	2,250
4	24	250	750	2,250
5	24	250	750	2,250
6	24	250	750	2,250
7	24	250	750	2,250
8	32	250	500	1,500
9	32	250	500	1,500
10	32	250	500	1,500
11	44	250	500	1,500
12	44	250	500	1,500
13	44	250	500	1,500
14	44	250	500	1,500
15	44	250	500	1,500
16	44	250	500	1,500
17	44	250	500	1,500
18	44	250	500	1,500
19	56	250	250	750
20	56	250	250	750
21	56	250	250	750
22	56	250	250	750
23	56	250	250	750
24	56	250	250	750
25	56	250	250	750

E=8.0,B=3.0/3.5/4.5

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
26	56	250	250	750
27	56	250	250	750
28	56	250	250	750
29	72	250	250	750
30	72	250	250	750
31	72	250	250	750
32	72	250	250	750
33	72	250	250	750
34	72	250	250	750
35	72	250	250	750
36	72	250	250	750
37	72	250	250	750
38	72	250	250	750
39	72	250	250	750
40	72	250	250	750
41	88	250	250	750
42	88	250	250	750
43	88	250	250	750
44	88	250	250	750
45	88	250	250	750
46	88	250	250	750
47	88	250	250	750
48	88	250	250	750

E=10.5,B=2.0

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
2	24	250	750	2,250
3	24	250	750	2,250
4	24	250	750	2,250
5	24	250	750	2,250
6	24	250	750	2,250
7	32	250	500	1,500
8	32	250	500	1,500
9	32	250	500	1,500
10	44	250	500	1,500
11	44	250	500	1,500
12	44	250	500	1,500
13	44	250	500	1,500
14	44	250	500	1,500
15	44	250	500	1,500
16	44	250	500	1,500
17	44	250	500	1,500
18	44	250	500	1,500
19	56	250	250	750
20	56	250	250	750
21	56	250	250	750
22	56	250	250	750
23	56	250	250	750
24	56	250	250	750
25	56	250	250	750

E=10.5,B=2.0

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
26	56	250	250	750
27	56	250	250	750
28	72	250	250	750
29	72	250	250	750
30	72	250	250	750
31	72	250	250	750
32	72	250	250	750
33	72	250	250	750
34	72	250	250	750
35	72	250	250	750
36	72	250	250	750
37	72	250	250	750
38	72	250	250	750
39	72	250	250	750
40	72	250	250	750
41	88	250	250	750
42	88	250	250	750
43	88	250	250	750
44	88	250	250	750
45	88	250	250	750
46	88	250	250	750
47	88	250	250	750
48	88	250	250	750

A5	2025/08/22	Standardization Drawing	CP	OPERATION	DRAW	DATE	SCALE	Fit	PART NO.
A4	2023/02/02	Add Flatness	Du Ying	x.X ±0.40	CP	2025/08/22	UNIT	mm [inch]	1320-22XXXXMXXCXXX
A3	2021/12/28	MODIFY CAP	Du Ying	x.XX ±0.25	CHECK	DATE	SIZE	A4	TITLE:
A0	2012/03/22	NEW	William Chen	x.XXX ±0.15	TANG	2025/08/22	SHEET	7/9	1.27 Pin Header, DUAL ROW, SMT, DOUBLE PLASTIC, WITHOUT POST, H=2.0
REV	DATE	MODIFICATION DESCRIPTION	CHANGE	Angle ± 3'	APPROVE	DATE	PROJ.		Customer NO.
				DIM TOL	Steven Zhao	2025/08/22			



WCON-Dongguan Tel: +86 769 85358920 Fax: +86 769 85358915 E-mail: sales@wcon.com	WCON-Kunshan Tel: +86 512 57468408 Fax: +86 512 57468468 E-mail: salesks@wcon.com
---	--

HSF

Packaging Quantity Refers To The Following Table

E=10.5,B=3.0/3.5

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
2	24	210	630	1,890
3	24	210	630	1,890
4	24	210	630	1,890
5	24	210	630	1,890
6	32	210	420	1,260
7	32	210	420	1,260
8	32	210	420	1,260
9	32	210	420	1,260
10	44	210	420	1,260
11	44	210	420	1,260
12	44	210	420	1,260
13	44	210	420	1,260
14	44	210	420	1,260
15	44	210	420	1,260
16	44	210	420	1,260
17	44	210	420	1,260
18	56	210	210	630
19	56	210	210	630
20	56	210	210	630
21	56	210	210	630
22	56	210	210	630
23	56	210	210	630
24	56	210	210	630
25	56	210	210	630

E=10.5,B=3.0/3.5

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
26	56	210	210	630
27	72	210	210	630
28	72	210	210	630
29	72	210	210	630
30	72	210	210	630
31	72	210	210	630
32	72	210	210	630
33	72	210	210	630
34	72	210	210	630
35	72	210	210	630
36	72	210	210	630
37	72	210	210	630
38	72	210	210	630
39	72	210	210	630
40	88	210	210	630
41	88	210	210	630
42	88	210	210	630
43	88	210	210	630
44	88	210	210	630
45	88	210	210	630
46	88	210	210	630
47	88	210	210	630
48	88	210	210	630

E=10.5,B=4.5

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
2	24	170	510	1,530
3	24	170	510	1,530
4	24	170	510	1,530
5	24	170	510	1,530
6	32	170	340	1,020
7	32	170	340	1,020
8	32	170	340	1,020
9	32	170	340	1,020
10	44	170	340	1,020
11	44	170	340	1,020
12	44	170	340	1,020
13	44	170	340	1,020
14	44	170	340	1,020
15	44	170	340	1,020
16	44	170	340	1,020
17	56	170	170	510
18	56	170	170	510
19	56	170	170	510
20	56	170	170	510
21	56	170	170	510
22	56	170	170	510
23	56	170	170	510
24	56	170	170	510
25	56	170	170	510

E=10.5,B=4.5

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
26	72	170	170	510
27	72	170	170	510
28	72	170	170	510
29	72	170	170	510
30	72	170	170	510
31	72	170	170	510
32	72	170	170	510
33	72	170	170	510
34	72	170	170	510
35	72	170	170	510
36	72	170	170	510
37	72	170	170	510
38	72	170	170	510
39	88	170	170	510
40	88	170	170	510
41	88	170	170	510
42	88	170	170	510
43	88	170	170	510
44	88	170	170	510
45	88	170	170	510
46	88	170	170	510
47	88	170	170	510
48	88	170	170	510

A5	2025/08/22	Standardization Drawing	CP	OPERATION	DRAW	DATE	SCALE	Fit	PART NO.
A4	2023/02/02	Add Flatness	Du Ying	x.X ±0.40	CP	2025/08/22	UNIT	mm [inch]	1320-22XXXXMXXCXXX
A3	2021/12/28	MODIFY CAP	Du Ying	x.XX ±0.25	CHECK	DATE	SIZE	A4	TITLE:
A0	2012/03/22	NEW	William Chen	x.XXX ±0.15	TANG	2025/08/22	SHEET	8/9	1.27 Pin Header, DUAL ROW, SMT, DOUBLE PLASTIC, WITHOUT POST, H=2.0
REV	DATE	MODIFICATION DESCRIPTION	CHANGE	Angle ± 3'	APPROVE	DATE	PROJ.		Customer NO.
				DIM TOL	Steven Zhao	2025/08/22			



WCON-Dongguan Tel: +86 769 85358920 Fax: +86 769 85358915 E-mail: sales@wcon.com	WCON-Kunshan Tel: +86 512 57468408 Fax: +86 512 57468468 E-mail: sales@wcon.com
---	--

HSF

Packaging Quantity Refers To The Following Table

E=15.4,B=2.0/3.0/3.5

E=15.4,B=2.0/3.0/3.5

E=15.4,B=4.5

E=15.4,B=4.5

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
2	24	130	390	1,170
3	24	130	390	1,170
4	24	130	390	1,170
5	32	130	260	780
6	32	130	260	780
7	32	130	260	780
8	32	130	260	780
9	44	130	260	780
10	44	130	260	780
11	44	130	260	780
12	44	130	260	780
13	44	130	260	780
14	44	130	260	780
15	56	130	130	390
16	56	130	130	390
17	56	130	130	390
18	56	130	130	390
19	56	130	130	390
20	56	130	130	390
21	56	130	130	390
22	56	130	130	390
23	56	130	130	390
24	56	130	130	390
25	72	130	130	390

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
26	72	130	130	390
27	72	130	130	390
28	72	130	130	390
29	72	130	130	390
30	72	130	130	390
31	72	130	130	390
32	72	130	130	390
33	72	130	130	390
34	72	130	130	390
35	72	130	130	390
36	72	130	130	390
37	72	130	130	390
38	88	130	130	390
39	88	130	130	390
40	88	130	130	390
41	88	130	130	390
42	88	130	130	390
43	88	130	130	390
44	88	130	130	390
45	88	130	130	390
46	88	130	130	390
47	88	130	130	390
48	88	130	130	390

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
2	24	80	240	720
3	24	80	240	720
4	32	80	160	480
5	32	80	160	480
6	32	80	160	480
7	32	80	160	480
8	44	80	160	480
9	44	80	160	480
10	44	80	160	480
11	44	80	160	480
12	44	80	160	480
13	44	80	160	480
14	44	80	160	480
15	56	80	80	240
16	56	80	80	240
17	56	80	80	240
18	56	80	80	240
19	56	80	80	240
20	56	80	80	240
21	56	80	80	240
22	56	80	80	240
23	56	80	80	240
24	72	80	80	240
25	72	80	80	240

PINS /Row	W	Q' ty/Reel	Q' ty/Inner Box	Q' ty/Box
26	72	80	80	240
27	72	80	80	240
28	72	80	80	240
29	72	80	80	240
30	72	80	80	240
31	72	80	80	240
32	72	80	80	240
33	72	80	80	240
34	72	80	80	240
35	72	80	80	240
36	72	80	80	240
37	88	80	80	240
38	88	80	80	240
39	88	80	80	240
40	88	80	80	240
41	88	80	80	240
42	88	80	80	240
43	88	80	80	240
44	88	80	80	240
45	88	80	80	240
46	88	80	80	240
47	88	80	80	240
48	88	80	80	240

REV	DATE	MODIFICATION DESCRIPTION	CHANGE	DIM	TOL	APPROVE	DATE	PROJ.	SCALE	Fit	PART NO.	TITLE:	Customer NO.
A5	2025/08/22	Standardization Drawing	CP			DRAW	2025/08/22				1320-22XXXXMXXCXXX	1.27 Pin Header, DUAL ROW, SMT, DOUBLE PLASTIC, WITHOUT POST, H=2.0	
A4	2023/02/02	Add Flatness	Du Ying	x.X	±0.40	CP			UNIT	mm [inch]			
A3	2021/12/28	MODIFY CAP	Du Ying	x.XX	±0.25	CHECK	2025/08/22		SIZE	A4			
A0	2012/03/22	NEW	William Chen	x.XXX	±0.15	TANG			SHEET	9/9			
				Angle	± 3'	APPROVE	2025/08/22		PROJ.	☐			



Http: www.wcon.com

WCON-Dongguan Tel: +86 769 85358920 Fax: +86 769 85358915 E-mail: sales@wcon.com	WCON-Kunshan Tel: +86 512 57468408 Fax: +86 512 57468468 E-mail: salesks@wcon.com
---	--